










## Quotation Sheet



Customer's Name	Quotation No.
Attn	Date
Customer Tel No.	Product Name <b>Brass Compression Fittings</b>
Customer FaxNo.	Price Term
Customer Address	

We are pleased to quote the below offers to you:

Product	Specification	Unit Price	Order QTY	Total Value	Weight	Package	
Coupling	(mm)	(USD/PCS)	(PCS)	(USD)	(Gram/PCS)	(PCS/CTN)	(CBM/CTN)
	S16×16			0.000	95	240	0.011
	S18×18			0.000	115	220	0.011
	S20×20			0.000	156	140	0.011
	S25×25			0.000	235	80	0.011
	S26×26			0.000	240	80	0.011
	S32×32			0.000	370	60	0.011
	S16×20			0.000	135	160	0.011
	S20×25			0.000	200	120	0.011
	S20×26			0.000	205	120	0.011
	S26×16			0.000	178	120	0.011
	S32×16			0.000	290	80	0.011
	S32×20			0.000	287	80	0.011
	S32×26			0.000	315	60	0.011
<b>Female Coupling</b>							
	S16×1/2" F			0.000	65	320	0.011
	S16×3/4" F			0.000	84	240	0.011
	S18×1/2" F			0.000	83	260	0.011
	S20×1/2" F			0.000	104	220	0.011
	S20×3/4" F			0.000	105	200	0.011
	S25×1/2" F			0.000	132	160	0.011
	S25×3/4" F			0.000	140	140	0.011
	S25×1" F			0.000	159	120	0.011
	S26×1/2" F			0.000	125	160	0.011
	S26×3/4" F			0.000	138	140	0.011
	S26×1" F			0.000	153	120	0.011

	S32×1/2" F			0.000	196	100	0.011
	S32×3/4" F			0.000	202	90	0.011
	S32×1" F			0.000	246	80	0.011
	S32×1-1/2" F			0.000	390	50	0.011
	S32×1-1/4" F			0.000	309	60	0.011
<b>Male Coupling</b>							
	S16×1/2" M			0.000	57	360	0.011
	S16×3/4" M			0.000	84	280	0.011
	S18×1/2" M			0.000	81	300	0.011
	S18×3/4" M			0.000	89	240	0.011
	S20×1/2" M			0.000	100	220	0.011
	S20×3/4" M			0.000	105	200	0.011
	S25×3/4" M			0.000	148	140	0.011
	S26×1/2" M			0.000	148	160	0.011
	S26×3/4" M			0.000	153	140	0.011
	S26×1" M			0.000	159	120	0.011
	S32×1/2" M			0.000	232	100	0.011
	S32×3/4" M			0.000	234	90	0.011
	S32×1" M			0.000	236	80	0.011
	S32×1-1/2" M			0.000	311	70	0.011
	S32×1-1/4" M			0.000	225	60	0.011
<b>Elbow</b>							
	L16×16			0.000	104	200	0.011
	L18×18			0.000	119	180	0.011
	L20×20			0.000	160	140	0.011
	L25×25			0.000	239	80	0.011
	L26×26			0.000	244	80	0.011
	L32×32			0.000	400	40	0.011
	L16×20			0.000	135	160	0.011
	L20×26			0.000	198	80	0.011
<b>Female Elbow</b>							
	L16×1/2" F			0.000	90	240	0.011
	L16×3/4" F			0.000	134	180	0.011
	L18×1/2" F			0.000	105	180	0.011
	L18×3/4" F			0.000	115	160	0.011
	L20×1/2" F			0.000	129	160	0.011
	L20×3/4" F			0.000	157	140	0.011
	L25×1/2" F			0.000	163	100	0.011
	L25×3/4" F			0.000	187	100	0.011
	L25×1" F			0.000	214	80	0.011
	L26×3/4" F			0.000	190	100	0.011
	L26×1" F			0.000	212	80	0.011

	L32×3/4" F			0.000	257	60	0.011
	L32×1" F			0.000	280	50	0.011
<b>Male Elbow</b>							
	L16×1/2" M			0.000	83	83	0.011
	L16×3/4" M			0.000	102	102	0.011
	L18×1/2" M			0.000	95	95	0.011
	L20×1/2" M			0.000	115	115	0.011
	L20×3/4" M			0.000	137	137	0.011
	L25×3/4" M			0.000	170	170	0.011
	L26×1/2" M			0.000	154	154	0.011
	L26×3/4" M			0.000	167	167	0.011
	L26×1" M			0.000	212	212	0.011
	L32×3/4" M			0.000	244	244	0.011
	L32×1" M			0.000	291	291	0.011
	<b>Tee</b>						
	T16×16×16			0.000	151	120	0.011
	T18×18×18			0.000	175	100	0.011
	T20×20×20			0.000	246	80	0.011
	T25×25×25			0.000	349	50	0.011
	T26×26×26			0.000	347	50	0.011
	T32×32×32			0.000	558	30	0.011
	T16×20×16			0.000	217	100	0.011
	T20×16×16			0.000	187	100	0.011
	T20×16×20			0.000	218	80	0.011
	T20×25×20			0.000	278	70	0.011
	T25×20×25			0.000	308	60	0.011
	T26×16×26			0.000	275	70	0.011
	T26×20×26			0.000	300	60	0.011
	T32×16×32			0.000	411	30	0.011
	T32×20×32			0.000	447	40	0.011
	T32×26×32			0.000	485	30	0.011
<b>Female Tee</b>							
	T16×1/2" F×16			0.000	137	140	0.011
	T16×3/4" F×16			0.000	170	120	0.011
	T18×1/2" F×18			0.000	150	120	0.011
	T20×1/2" F×20			0.000	206	80	0.011
	T20×3/4" F×20			0.000	235	80	0.011
	T25×3/4" F×25			0.000	296	60	0.011
	T26×1" F×26			0.000	334	50	0.011
	T26×1/2" F×26			0.000	262	70	0.011
	T26×3/4" F×26			0.000	294	60	0.011
	T26×1" F×26			0.000	328	50	0.011
	T32×1/2" F×26			0.000	422	40	0.011
	T32×3/4" F×32			0.000	437	30	0.011

	T32×1" F×32			0.000	442	30	0.011
<b>Male Tee</b>							
	T16×1/2" M×16			0.000	132	140	0.011
	T16×3/4" M×16			0.000	150	140	0.011
	T18×1/2" M×18			0.000	145	120	0.011
	T20×1/2" M×20			0.000	200	80	0.011
	T20×3/4" M×20			0.000	210	80	0.011
	T25×3/4" M×25			0.000	270	50	0.011
	T26×1/2" M×26			0.000	261	70	0.011
	T26×3/4" M×26			0.000	275	60	0.011
	T26×1" M×26			0.000	318	50	0.011
	T32×1/2" M×32			0.000	405	40	0.011
	T32×3/4" M×32			0.000	423	30	0.011
T32×1" M×32			0.000	447	30	0.011	
<b>Seated Female Tee</b>							
	ZL16×1/2" F			0.000	116	140	0.011
	ZL16×3/4" F			0.000	165	100	0.011
	ZL18×1/2" F			0.000	168	120	0.011
	ZL20×1/2" F			0.000	160	100	0.011
	ZL20×3/4" F			0.000	189	80	0.011
<b>Total Amount</b>				<b>0.000</b>			

### Remark:

1. Price term:
2. Packing method: be packed in cartons
3. Payment term:
4. Delivery time:
5. Sample available: yes, samples available for small quantity need.
6. RISONG reserves the right to change prices once upon material cost & exchange rate floate more than 2% .
7. Validity date: 20 days.
8. Product details:
  - (a). Material: high quality brass raw materials, such as CW617,58-2,CW602N DZR,C48600,etc
  - (b). The brass fittings are used for the connection of PEX-AL-PEX multilayer pipe & PEX pipe from Risong.
  - (c). Color: Natural brass color, nickel-plated in surface or chromed in surface
  - (d). ISO & CE certificated.