


Quotation Sheet

Customer's Name		Quotation No.	
Attn		Date	
Customer Tel No.		Product Name	PPR Pipes And Fittings
Customer Fax No.		Price Term	
Customer Address			


We are pleased to quote the below offers to you:

Product	Size	Unit Price	Order QTY	Total Value	Weight	Package	
PPR Pipe (PN1.0Mpa)	(mm)	(USD/meter)	(meter)	(USD)	(g/meter)	(m/pkgs)	(cbm/pkgs)
	20×2.0			0.000	108	120	0.078
	25×2.3			0.000	159	100	0.078
	32×2.9			0.000	253	60	0.083
	40×3.7			0.000	398	40	0.083
	50×4.6			0.000	625	24	0.078
	63×5.8			0.000	981	16	0.083
	75×6.8			0.000	1380	12	0.075
	90×8.2			0.000	1980	8	0.078
	110×10.0			0.000	2950	4	0.050
PPR Pipe (PN1.6Mpa)				0.000			
	20×2.3			0.000	128	120	0.078
	25×2.8			0.000	178	100	0.078
	32×3.6			0.000	288	60	0.083
	40×4.5			0.000	458	40	0.083
	50×5.6			0.000	728	24	0.078
	63×7.1			0.000	1390	16	0.083
	75×8.4			0.000	1588	12	0.075
	90×10.1			0.000	2288	8	0.078
	110×12.3			0.000	3398	4	0.055
PPR Pipe (PN2.0Mpa)				0.000			
	20×2.8			0.000	145	120	0.078
	25×3.5			0.000	222	100	0.078
	32×4.4			0.000	355	60	0.083



40×5.5			0.000	545	40	0.083
50×6.9			0.000	855	24	0.078
63×8.7			0.000	1375	16	0.083
75×10.3			0.000	1855	12	0.075
90×12.3			0.000	2825	8	0.078
110×15.1			0.000	4325	4	0.055

PPR Pipe
(PN2.5Mpa)



			0.000			
20×3.4			0.000	165	120	0.078
25×4.2			0.000	260	100	0.078
32×5.4			0.000	430	60	0.083
40×6.7			0.000	676	40	0.083
50×8.4			0.000	976	24	0.078
63×10.5			0.000	1656	16	0.083
75×12.5			0.000	2346	12	0.075
90×15.0			0.000	3366	8	0.078
110×18.3			0.000	4755	4	0.055

Equal Coupling

(USD/PCS)



S20			0.000	13	1600	0.067
S25			0.000	18	1000	0.067
S32			0.000	25	560	0.067
S40			0.000	39	320	0.067
S50			0.000	68	220	0.067
S63			0.000	110	108	0.067
S75			0.000	145	72	0.067
S90			0.000	260	48	0.067
S110			0.000	400	28	0.067

Reducing Coupling



S25×20			0.000	17	1200	0.067
S32×20			0.000	24	1140	0.067
S32×25			0.000	25	660	0.067
S40×20			0.000	40	560	0.067
S40×25			0.000	41	360	0.067
S40×32			0.000	45	320	0.067
S50×20			0.000	54	320	0.067
S50×25			0.000	56	320	0.067
S50×32			0.000	61	240	0.067
S50×40			0.000	65	192	0.067
S63×20			0.000	95	192	0.067
S63×25			0.000	97	192	0.067
S63×32			0.000	102	192	0.067
S63×40			0.000	117	192	0.067
S63×50			0.000	122	108	0.067
S75×20			0.000	125	132	0.067
S75×25			0.000	133	132	0.067

S75×32			0.000	137	132	0.067
S75×40			0.000	138	132	0.067
S75×50			0.000	140	132	0.067
S75×63			0.000	145	86	0.067
S90×32			0.000	207	72	0.067
S90×40			0.000	207	72	0.067
S90×50			0.000	210	72	0.067
S90×63			0.000	215	72	0.067
S90×75			0.000	228	56	0.067
S110×32			0.000	255	40	0.067
S110×40			0.000	320	40	0.067
S110×50			0.000	322	40	0.067
S110×63			0.000	328	40	0.067
S110×75			0.000	330	40	0.067
S110×90			0.000	360	32	0.067

Female Adaptor






S20×1/2F			0.000	48	600	0.04
S25×1/2F			0.000	48	480	0.04
S25×3/4F			0.000	58	400	0.04
S32×1/2F			0.000	52	330	0.04
S32×3/4F			0.000	62	300	0.04
S32×1"F			0.000	102	220	0.04
S40×3/4"F			0.000	70	240	0.04
S40×1"F			0.000	105	200	0.04
S40×1-1/4"F			0.000	165	160	0.04
S50×3/4"F			0.000	78	100	0.04
S50×1"F			0.000	110	88	0.04
S50×1-1/4"F			0.000	165	80	0.04
S50×1-1/2"F			0.000	210	80	0.04
S63×3/4"F			0.000	135	48	0.04
S63×1"F			0.000	160	72	0.04
S63×1-1/4"F			0.000	190	65	0.04
S63×1-1/2"F			0.000	290	60	0.04
S63×2"F			0.000	310	50	0.04

Male Adaptor



S20×1/2M			0.000	56	500	0.04
S25×1/2M			0.000	56	400	0.04
S25×3/4M			0.000	71	350	0.04
S32×1/2M			0.000	60	330	0.04
S32×3/4M			0.000	75	270	0.04
S32×1"M			0.000	126	180	0.04
S40×3/4"M			0.000	80	170	0.04
S40×1"M			0.000	115	160	0.04
S40×1-1/4"M			0.000	190	160	0.04

	S50×3/4"M			0.000	95	88	0.04
	S50×1"M			0.000	125	88	0.04
	S50×1-1/4"M			0.000	185	80	0.04
	S50×1-1/2"M			0.000	230	80	0.04
	S63×3/4"M			0.000	145	58	0.04
	S63×1"M			0.000	175	58	0.04
	S63×1-1/4"M			0.000	215	55	0.04
	S63×1-1/2"M			0.000	336	50	0.04
	S63×2"M			0.000	355	50	0.04
Elbow 45°							
	L20×45°			0.000	16	1500	0.067
	L25×45°			0.000	25	800	0.067
	L32×45°			0.000	41	480	0.067
	L40×45°			0.000	68	270	0.067
	L50×45°			0.000	92	132	0.067
	L63×45°			0.000	155	80	0.067
	L75×45°			0.000	230	46	0.067
	L90×45°			0.000	400	24	0.067
	L110×45°			0.000	650	16	0.067
Elbow 90°							
	L20×90°			0.000	20	1200	0.067
	L25×90°			0.000	32	600	0.067
	L32×90°			0.000	47	360	0.067
	L40×90°			0.000	65	210	0.067
	L50×90°			0.000	120	100	0.067
	L63×90°			0.000	210	60	0.067
	L75×90°			0.000	320	42	0.067
	L90×90°			0.000	560	24	0.067
	L110×90°			0.000	940	12	0.067
Female Elbow							
	L20×1/2F			0.000	54	400	0.040
	L25×1/2F			0.000	63	300	0.040
	L25×3/4F			0.000	71	280	0.040
	L32×1/2F			0.000	77	250	0.040
	L32×3/4F			0.000	86	280	0.040
	L32×1"F			0.000	120	150	0.040
	L40×3/4"F			0.000	90	112	0.040
	L40×1"F			0.000	125	105	0.040
	L40×1-1/4"F			0.000	170	100	0.040
	L50×3/4"F			0.000	115	75	0.040
	L50×1"F			0.000	140	72	0.040
	L50×1-1/4"F			0.000	220	65	0.040
	L50×1-1/2"F			0.000	235	60	0.040
L63×3/4"F			0.000	188	55	0.040	

	L63×1"F			0.000	245	55	0.040
	L63×1-1/4"F			0.000	335	50	0.040
	L63×1-1/2"F			0.000	360	50	0.040
	L63×2"F			0.000	430	50	0.040
Male Elbow							
	L20×1/2M			0.000	60	360	0.040
	L25×1/2M			0.000	70	300	0.040
	L25×3/4M			0.000	86	230	0.040
	L32×1/2M			0.000	84	180	0.040
	L32×3/4M			0.000	100	180	0.040
	L32×1"M			0.000	141	160	0.040
	L40×3/4"M			0.000	100	92	0.040
	L40×1"M			0.000	140	85	0.040
	L40×1-1/4"M			0.000	200	80	0.040
	L50×3/4"M			0.000	130	68	0.040
	L50×1"M			0.000	160	68	0.040
	L50×1-1/4"M			0.000	235	60	0.040
	L50×1-1/2"M			0.000	252	60	0.040
	L63×3/4"M			0.000	200	56	0.040
	L63×1"M			0.000	260	56	0.040
	L63×1-1/4"M			0.000	360	50	0.040
L63×1-1/2"M			0.000	380	50	0.040	
L63×2"M			0.000	480	50	0.040	
Seated Female Elbow							
	ZL20×1/2"F			0.000	56	300	0.040
	ZL25×1/2"F			0.000	68	280	0.040
	ZL25×3/4"F			0.000	85	280	0.040
Equal Tee							
	T20×20×20			0.000	26	800	0.067
	T25×25×25			0.000	34	480	0.067
	T32×32×32			0.000	58	280	0.067
	T40×40×40			0.000	107	150	0.067
	T50×50×50			0.000	180	72	0.067
	T63×63×63			0.000	310	48	0.067
	T75×75×75			0.000	380	30	0.067
	T90×90×90			0.000	640	24	0.067
	T110×110×110			0.000	1040	12	0.067
Reducing Tee							
	T25×20			0.000	30	600	0.067
	T32×20			0.000	44	360	0.067
	T32×25			0.000	53	320	0.067
	T40×20			0.000	79	210	0.067







T40×25			0.000	84	195	0.067
T40×32			0.000	97	150	0.067
T50×20			0.000	110	120	0.067
T50×25			0.000	105	120	0.067
T50×32			0.000	115	100	0.067
T50×40			0.000	156	100	0.067
T63×20			0.000	172	96	0.067
T63×25			0.000	195	80	0.067
T63×32			0.000	210	65	0.067
T63×40			0.000	225	68	0.067
T63×50			0.000	255	48	0.067
T75×20			0.000	221	52	0.067
T75×25			0.000	222	52	0.067
T75×32			0.000	230	52	0.067
T75×40			0.000	253	52	0.067
T75×50			0.000	290	40	0.067
T75×63			0.000	320	32	0.067
T90×20			0.000	330	24	0.000
T90×25			0.000	330	24	0.000
T90×32			0.000	345	24	0.067
T90×40			0.000	390	24	0.067
T90×50			0.000	450	24	0.067
T90×63			0.000	510	24	0.067
T90×75			0.000	550	24	0.067
T 110×32			0.000	600	16	0.000
T110×40			0.000	655	16	0.067
T110×50			0.000	695	16	0.067
T110×63			0.000	760	16	0.067
T110×75			0.000	880	16	0.067
T110×90			0.000	910	12	0.067






Female Tee



T20×1/2F			0.000	61	360	0.040
T25×1/2F			0.000	68	250	0.040
T25×3/4F			0.000	82	200	0.040
T32×1/2F			0.000	91	120	0.040
T32×3/4F			0.000	98	120	0.040
T32×1"F			0.000	137	120	0.040
T40×3/4"F			0.000	100	80	0.040
T40×1"F			0.000	146	80	0.040
T40×1-1/4"F			0.000	195	80	0.040
T50×3/4"F			0.000	127	80	0.040
T50×1"F			0.000	185	80	0.040
T50×1-1/4"F			0.000	248	60	0.040
T50×1-1/2"F			0.000	260	60	0.040

	T63×3/4"F			0.000	270	50	0.040
	T63×1"F			0.000	310	50	0.040
	T63×1-1/4"F			0.000	325	50	0.040
	T63×1-1/2"F			0.000	345	50	0.040
	T63×2"F			0.000	430	50	0.040
Male Tee							
	T20×1/2M			0.000	68	300	0.040
	T25×1/2M			0.000	78	240	0.040
	T25×3/4M			0.000	95	200	0.040
	T32×1/2M			0.000	98	200	0.040
	T32×3/4M			0.000	113	150	0.040
	T32×1"M			0.000	156	120	0.040
	T40×3/4"M			0.000	120	80	0.040
	T40×1"M			0.000	145	80	0.040
	T40×1-1/4"M			0.000	220	80	0.040
	T50×3/4"M			0.000	132	60	0.040
	T50×1"M			0.000	185	60	0.040
	T50×1-1/4"M			0.000	260	60	0.040
	T50×1-1/2"M			0.000	290	60	0.040
	T63×3/4"M			0.000	300	50	0.040
	T63×1"M			0.000	330	50	0.040
	T63×1-1/4"M			0.000	355	50	0.040
T63×1-1/2"M			0.000	380	50	0.040	
T63×2"M			0.000	490	50	0.040	
Female Union							
	Φ20×1/2"F			0.000	75	250	0.018
	Φ25×3/4"F			0.000	105	200	0.018
	Φ32×1"F			0.000	145	100	0.018
	Φ40×1-1/4"F			0.000	280	80	0.018
	Φ50×1-1/2"F			0.000	430	80	0.018
	Φ63×2"F			0.000	610	50	0.018
Male Union							
	Φ20×1/2"M			0.000	80	250	0.018
	Φ25×3/4"M			0.000	110	200	0.018
	Φ32×1"M			0.000	160	100	0.018
	Φ40×1-1/4"M			0.000	295	80	0.018
	Φ50×1-1/2"M			0.000	430	80	0.018
	Φ63×2"M			0.000	650	50	0.018
Stop Valve							
	Φ20			0.000	206	140	0.040
	Φ25			0.000	240	100	0.040
	Φ32			0.000	253	90	0.040
	Φ40			0.000	490	42	0.040
	Φ50			0.000	540	36	0.040

	Φ63			0.000	800	20	0.040
	Φ75			0.000	1080	16	0.040
	Φ90			0.000	1580	12	0.040
	Φ110			0.000	2580	7	0.040
Plastic Valve							
	Φ20			0.000	62	140	0.040
	Φ25			0.000	84	100	0.040
	Φ32			0.000	142	90	0.040
	Φ40			0.000	221	42	0.040
	Φ50			0.000	386	36	0.040
	Φ63			0.000	672	20	0.040
	Φ75			0.000		16	0.040
	Φ90			0.000		12	0.040
	Φ110			0.000		7	0.040
Plastic Union							
	Φ20			0.000	33	500	0.067
	Φ25			0.000	57	300	0.067
	Φ32			0.000	95	150	0.067
	Φ40			0.000	152	120	0.067
	Φ50			0.000	219	100	0.067
	Φ63			0.000	319	60	0.067
Cross Fittings							
	X20			0.000	30	600	0.067
	X25			0.000	43	400	0.067
	X32			0.000	69	200	0.067
	X40			0.000	98	120	0.067
	X50			0.000	182	78	0.067
	X63			0.000	366	50	0.067
Pipe Clips							
	Φ20			0.000	6	3300	0.067
	Φ25			0.000	7	2800	0.067
	Φ32			0.000	8	1600	0.067
Bridge Tube							
  	Φ20			0.000	29	400	0.067
	Φ25			0.000	46	300	0.067
	Φ32			0.000	85	240	0.067
Pipe Caps							
  	D20			0.000	7	2200	0.067
	D25			0.000	10.4	2000	0.067
	D32			0.000	17	1000	0.067
	D40			0.000	30	560	0.067
	D50			0.000	54	360	0.067

	D63			0.000	83	216	0.067
	Φ75			0.000	125	120	0.067
	Φ90			0.000	165	72	0.067
	Φ110			0.000	260	32	0.067
Pipe Plug							
	1/2"			0.000	5	3000	0.067
	3/4"			0.000	8	2000	0.067
	1"			0.000	11	1000	0.067
Double Female Elbow							
	ZL20×1/2"×20			0.000	140	100	0.040
	ZL25×1/2"×25			0.000	176	90	0.040
Pipe Cutter							
	Φ14-42			0.000	0.4KGS	50	0.055
	Φ14-32			0.000	0.15KGS	50	0.040
PPR Welding Machines							
	Φ20-32			0.000	3KGS	5	0.053
	Φ20-63			0.000	5KGS	5	0.075
	Φ63-110			0.000	8	5	0.120
Total Amount				0.00			

Remark:

1. Price term:

2. Packing method: Ppr pipes be in wrapped by polyester bags with 4 m or 6m length, other length available too.
Ppr pipe fittings be packed in cartons, inner packing is plastic bags.

3. Payment term:

4. Delivery time:

5. Sample available: yes, samples available for small quantity need

6. Marking: customers' logo can be stamped on the pipes.

7. RISONG reserves the right to change prices once upon material cost & exchange rate floate more than 2% .

8. Validity date: 20 days.

9. Product details:

(a). Material: 100% virgin PPR raw materials, such as C4220 from Sinopec, R200P from Hyosung..etc.

(b). Standard: ISO15874, DIN8077/8078.

(c). Color: green, white & grey, or as per customers' request

(d). Pressure rating for Ppr fittings: PN2.5 MPa.